

SILVER BOW COUNTY YOUTH RISK BEHAVIOR SURVEY

SILVER BOW COUNTY

STUDENT FREQUENCY DISTRIBUTION

The following frequency distributions are based upon surveys with 339 high school students in Silver Bow County during February of 2013. Frequency distributions may not total 339 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A. 12 years old or younger		1	0.34%
B. 13 years old		0	0.00%
C. 14 years old		29	9.73%
D. 15 years old		76	25.50%
E. 16 years old		60	20.13%
F. 17 years old		75	25.17%
G. 18 years old or older		57	19.13%
TOTALS		298	100.00%
Q-2. What is your sex?			
A. Female		156	52.70%
B. Male		140	47.30%
TOTALS		296	100.00%
Q-3. In what grade are you?			
A. 9th grade		76	25.59%
B. 10th grade		65	21.89%
C. 11th grade		71	23.91%
D. 12th grade		83	27.95%
E. Ungraded or other grade		2	0.67%
TOTALS		297	100.00%
Q-4. Are you Hispanic or Latino?			
A. Yes		16	5.44%
B. No		278	94.56%
TOTALS		294	100.00%
Q-5. What is your race?			
A. American Indian or Alaskan Native		22	6.94%
B. Asian		11	3.47%
C. Black or African American		9	2.84%
D. Native Hawaiian or Other Pacific Islander		4	1.26%
E. White		271	85.49%
TOTALS		317	100.00%

Q-6. How tall are you without your shoes on?

A. Less than 4 ft	0	0.00%
B. 4ft to 4 ft, 6 in	0	0.00%
C. 4ft, 7in to 5 ft	9	3.00%
D. 5ft, 1in to 5ft, 6in	134	44.67%
E. Over 5ft, 6in	157	52.33%
TOTALS	300	100.00%

Q-7. How much do you weigh without your shoes on?

A. Less than 90 lbs	1	0.33%
B. 90-99 lbs	2	0.67%
C. 100-109 lbs	13	4.33%
D. 110-119lbs	49	16.33%
E. 120-129 lbs	46	15.33%
F. 130-139 lbs	41	13.67%
G. lbs +	148	49.33%
TOTALS	300	100.00%

Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?

A. I did not ride a bicycle during the past 12 months	132	44.00%
B. Never wore a helmet	128	42.67%
C. Rarely wore a helmet	22	7.33%
D. Sometimes wore a helmet	6	2.00%
E. Most of the time wore a helmet	4	1.33%
F. Always wore a helmet	8	2.67%
TOTALS	300	100.00%

Q-9. How often do you wear your seat belt when riding in a car driven by someone else?

A. Never	13	4.39%
B. Rarely	21	7.09%
C. Sometimes	46	15.54%
D. Most of the time	97	32.77%
E. Always	119	40.20%
TOTALS	296	100.00%

Q-10. How often do you wear a seat belt when driving a car?

A. I do not drive a car	47	15.72%
B. Never	11	3.68%
C. Rarely	17	5.69%
D. Sometimes	28	9.36%
E. Most of the time	34	11.37%
F. Always	162	54.18%
TOTALS	299	100.00%

Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

A. 0 times	220	74.07%
B. 1 time	22	7.41%
C. 2 or 3 times	31	10.44%
D. 4 or 5 times	6	2.02%
E. 6 or more times	18	6.06%

TOTALS	297	100.00%
---------------	------------	----------------

Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

A. I did not drive a car or other vehicle during the past 30 days	74	24.75%
B. 0 times	179	59.87%
C. 1 time	18	6.02%
D. 2 or 3 times	17	5.69%
E. 4 or 5 times	3	1.00%
F. 6 or more times	8	2.68%

TOTALS	299	100.00%
---------------	------------	----------------

Q-13. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

A. I did not drive a car or other vehicle during the past 30 days	57	19.19%
B. 0 days	70	23.57%
C. 1 or 2 days	40	13.47%
D. 3 to 5 days	25	8.42%
E. 6 to 9 days	15	5.05%
F. 10 to 19 days	22	7.41%
G. 20 to 29 days	16	5.39%
H. All 30 days	52	17.51%

TOTALS	297	100.00%
---------------	------------	----------------

Q-14. During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?

A. I did not drive a car or other vehicle during the past 30 days	57	19.13%
B. 0 days	55	18.46%
C. 1 or 2 days	51	17.11%
D. 3 to 5 days	32	10.74%
E. 6 to 9 days	30	10.07%
F. 10 to 19 days	31	10.40%
G. 20 to 29 days	13	4.36%
H. All 30 days	29	9.73%

TOTALS	298	100.00%
---------------	------------	----------------

Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

A. 0 days	247	83.16%
B. 1 day	9	3.03%
C. 2 or 3 days	11	3.70%
D. 4 or 5 days	3	1.01%
E. 6 or more days	27	9.09%
TOTALS	297	100.00%

Q-16. During the past 30 days, on how many days did you carry a gun?

A. 0 days	273	91.92%
B. 1 day	7	2.36%
C. 2 or 3 days	6	2.02%
D. 4 or 5 days	1	0.34%
E. 6 or more days	10	3.37%
TOTALS	297	100.00%

Q-17. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

A. 0 days	282	93.69%
B. 1 day	0	0.00%
C. 2 or 3 days	5	1.66%
D. 4 or 5 days	1	0.33%
E. 6 or more days	13	4.32%
TOTALS	301	100.00%

Q-18. During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?

A. 0 times	229	76.33%
B. 1 time	33	11.00%
C. 2 or 3 times	19	6.33%
D. 4 or 5 times	10	3.33%
E. 6 or 7 times	2	0.67%
F. 8 or 9 times	0	0.00%
G. 10 or 11 times	1	0.33%
H. 12 or more times	6	2.00%
TOTALS	300	100.00%

Q-19. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A. 0 days	277	92.64%
B. 1 day	13	4.35%
C. 2 or 3 days	4	1.34%
D. 4 or 5 days	2	0.67%
E. 6 or more days	3	1.00%
TOTALS	299	100.00%

Q-20. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A. 0 times	279	92.38%
B. 1 time	8	2.65%
C. 2 or 3 times	7	2.32%
D. 4 or 5 times	2	0.66%
E. 6 or 7 times	1	0.33%
F. 8 or 9 times	0	0.00%
G. 10 or 11 times	0	0.00%
H. 12 or more times	5	1.66%
TOTALS	302	100.00%

Q-21. During the past 12 months, how many times were you in a physical fight?

A. 0 times	227	75.42%
B. 1 time	32	10.63%
C. 2 or 3 times	23	7.64%
D. 4 or 5 times	6	1.99%
E. 6 or 7 times	2	0.66%
F. 8 or 9 times	2	0.66%
G. 10 or 11 times	0	0.00%
H. 12 or more times	9	2.99%
TOTALS	301	100.00%

Q-22. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?

A. 0 times	289	96.98%
B. 1 time	5	1.68%
C. 2 or 3 times	3	1.01%
D. 4 or 5 times	0	0.00%
E. 6 or more times	1	0.34%
TOTALS	298	100.00%

Q-23. During the past 12 months, how many times were you in a physical fight on school property?

A. 0 times	270	89.70%
B. 1 time	19	6.31%
C. 2 or 3 times	8	2.66%
D. 4 or 5 times	0	0.00%
E. 6 or 7 times	0	0.00%
F. 8 or 9 times	0	0.00%
G. 10 or 11 times	1	0.33%
H. 12 or more times	3	1.00%
TOTALS	301	100.00%

Q-24. Have you ever been physically forced to have sexual intercourse when you did not want to?

A. Yes	31	10.30%
B. No	270	89.70%
TOTALS	301	100.00%

Q-25. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

A. I did not date or go out with anyone during the past 12 months	61	20.33%
B. 0 times	210	70.00%
C. 1 time	12	4.00%
D. 2 or 3 times	8	2.67%
E. 4 or 5 times	0	0.00%
F. 6 or more times	9	3.00%
TOTALS	300	100.00%

Q-26. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A. I did not date or go out with anyone during the past 12 months	59	19.67%
B. 0 times	212	70.67%
C. 1 time	10	3.33%
D. 2 or 3 times	10	3.33%
E. 4 or 5 times	2	0.67%
F. 6 or more times	7	2.33%
TOTALS	300	100.00%

Q-27. During the past 12 months, have you ever been bullied on school property?

A. Yes	66	22.00%
B. No	234	78.00%
TOTALS	300	100.00%

Q-28. During the past 12 months, have you ever been electronically bullied? (Include being bullied through e-mail, chat rooms, instant messaging, websites, or texting.)

A. Yes	49	16.28%
B. No	252	83.72%
TOTALS	301	100.00%

Q-29. During the past 12 months, have you ever been the victim of teasing, name calling or bullying because someone thought you were gay, lesbian, or bisexual?

A. Yes	23	7.64%
B. No	278	92.36%
TOTALS	301	100.00%

Q-30. Have you ever been choked by someone or tried to choke yourself on purpose, such as with a belt, towel, or rope, for the feeling or experience it caused? (This is also called the Choking Game, Knock Out, Space Monkey, Flatlining, or the Fainting Game.)

A. Yes	29	9.67%
B. No	271	90.33%
TOTALS	300	100.00%

Q-31. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

A. Yes	77	26.10%
B. No	218	73.90%
TOTALS	295	100.00%

Q-32. During the past 12 months, did you ever seriously consider attempting suicide?

A. Yes	57	18.94%
B. No	244	81.06%
TOTALS	301	100.00%

Q-33. During the past 12 months, did you make a plan about how you would attempt suicide?

A. Yes	47	15.61%
B. No	254	84.39%
TOTALS	301	100.00%

Q-34. During the past 12 months, how many times did you actually attempt suicide?

A. 0 times	258	86.00%
B. 1 time	29	9.67%
C. 2 or 3 times	9	3.00%
D. 4 or 5 times	1	0.33%
E. 6 or more times	3	1.00%
TOTALS	300	100.00%

Q-35. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A. I did not attempt suicide	253	84.62%
B. Yes	13	4.35%
C. No	33	11.04%
TOTALS	299	100.00%

Q-36. Have you ever tried cigarette smoking, even one or two puffs?

A. Yes	111	36.88%
B. No	190	63.12%
TOTALS	301	100.00%

Q-37. How old were you when you smoked a whole cigarette for the first time?

A. I have never smoked a whole cigarette	216	71.76%
B. 8 years old or younger	13	4.32%
C. 9 or 10 years old	5	1.66%
D. 11 or 12 years old	5	1.66%
E. 13 or 14 years old	26	8.64%
F. 15 or 16 years old	27	8.97%
G. 17 years old or older	9	2.99%
TOTALS	301	100.00%

Q-38. During the past 30 days, on how many days did you smoke cigarettes?

A. 0 days	250	82.78%
B. 1 or 2 days	20	6.62%
C. 3 to 5 days	5	1.66%
D. 6 to 9 days	6	1.99%
E. 10 to 19 days	5	1.66%
F. 20 to 29 days	5	1.66%
G. All 30 days	11	3.64%
TOTALS	302	100.00%

Q-39. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A. I did not smoke cigarettes during the past 30 days	253	84.05%
B. Less than 1 cigarette per day	16	5.32%
C. 1 cigarette per day	6	1.99%
D. 2 to 5 cigarettes per day	16	5.32%
E. 6 to 10 cigarettes per day	7	2.33%
F. 11 to 20 cigarettes per day	1	0.33%
G. More than 20 cigarettes per day	2	0.66%
TOTALS	301	100.00%

Q-40. During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)

A. I did not smoke cigarettes during the past 30 days	254	84.11%
B. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	15	4.97%
C. I bought them from a vending machine	1	0.33%
D. I gave someone else money to buy them for me	7	2.32%
E. I borrowed (or bummed) them from someone else	16	5.30%
F. A person 18 years old or older gave them to me	3	0.99%
G. I took them from a store or family member	2	0.66%
H. I got them some other way	4	1.32%
TOTALS	302	100.00%

Q-41. During the past 30 days, on how many days did you smoke cigarettes on school property?

A. 0 days	279	93.94%
B. 1 or 2 days	5	1.68%
C. 3 to 5 days	6	2.02%
D. 6 to 9 days	0	0.00%
E. 10 to 19 days	1	0.34%
F. 20 to 29 days	0	0.00%
G. All 30 days	6	2.02%
TOTALS	297	100.00%

Q-42. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?

A. Yes	37	12.42%
B. No	261	87.58%
TOTALS	298	100.00%

Q-43. During the past 12 months, did you ever try to quit smoking cigarettes?

A. I did not smoke during the past 12 months	243	81.27%
B. Yes	32	10.70%
C. No	24	8.03%
TOTALS	299	100.00%

Q-44. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?

A. 0 days	243	81.00%
B. 1 or 2 days	18	6.00%
C. 3 to 5 days	5	1.67%
D. 6 to 9 days	7	2.33%
E. 10 to 19 days	6	2.00%
F. 20 to 29 days	5	1.67%
G. All 30 days	16	5.33%
TOTALS	300	100.00%

Q-45. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?

A. 0 days	267	88.70%
B. 1 or 2 days	12	3.99%
C. 3 to 5 days	6	1.99%
D. 6 to 9 days	3	1.00%
E. 10 to 19 days	1	0.33%
F. 20 to 29 days	5	1.66%
G. All 30 days	7	2.33%
TOTALS	301	100.00%

Q-46. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

A. 0 days	258	85.71%
B. 1 or 2 days	21	6.98%
C. 3 to 5 days	8	2.66%
D. 6 to 9 days	7	2.33%
E. 10 to 19 days	3	1.00%
F. 20 to 29 days	1	0.33%
G. All 30 days	3	1.00%
TOTALS	301	100.00%

Q-47. During your life, on how many days have you had at least one drink of alcohol?

A. 0 days	71	23.91%
B. 1 or 2 days	36	12.12%
C. 3 to 9 days	60	20.20%
D. 10 to 19 days	35	11.78%
E. 20 to 39 days	37	12.46%
F. 40 to 99 days	31	10.44%
G. 100 or more days	27	9.09%
TOTALS	297	100.00%

Q-48. How old were you when you had your first drink of alcohol other than a few sips?

A. I have never had a drink of alcohol other than a few sips	95	31.56%
B. 8 years old or younger	12	3.99%
C. 9 or 10 years old	13	4.32%
D. 11 or 12 years old	27	8.97%
E. 13 or 14 years old	75	24.92%
F. 15 or 16 years old	63	20.93%
G. 17 years old or older	16	5.32%
TOTALS	301	100.00%

Q-49. During the past 30 days, on how many days did you have at least one drink of alcohol?

A. 0 days	170	56.48%
B. 1 or 2 days	57	18.94%
C. 3 to 5 days	34	11.30%
D. 6 to 9 days	25	8.31%
E. 10 to 19 days	11	3.65%
F. 20 to 29 days	1	0.33%
G. All 30 days	3	1.00%
TOTALS	301	100.00%

Q-50. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?

A. 0 days	286	95.02%
B. 1 or 2 days	7	2.33%
C. 3 to 5 days	3	1.00%
D. 6 to 9 days	2	0.66%
E. 10 to 19 days	1	0.33%
F. 20 to 29 days	0	0.00%
G. All 30 days	2	0.66%
TOTALS	301	100.00%

Q-51. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

A. 0 days	203	67.22%
B. 1 day	26	8.61%
C. 2 days	33	10.93%
D. 3 to 5 days	22	7.28%
E. 6 to 9 days	9	2.98%
F. 10 to 19 days	5	1.66%
G. 20 or more days	4	1.32%
TOTALS	302	100.00%

Q-52. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?

A. I did not drink alcohol during the past 30 days	177	59.20%
B. 1 or 2 drinks	28	9.36%
C. 3 drinks	14	4.68%
D. 4 drinks	14	4.68%
E. 5 drinks	16	5.35%
F. 6 or 7 drinks	24	8.03%
G. 8 or 9 drinks	8	2.68%
H. 10 or more drinks	18	6.02%
TOTALS	299	100.00%

Q-53. During the past 30 days, how did you usually get the alcohol you drank?

A. I did not drink alcohol during the past 30 days	176	58.86%
B. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	9	3.01%
C. I bought it at a restaurant, bar, or club	1	0.33%
D. I bought it at a public event such as a concert or sporting event	0	0.00%
E. I gave someone else money to buy it for me	53	17.73%
F. Someone gave it to me	28	9.36%
G. I took it from a store or family member	5	1.67%
H. I got it some other way	27	9.03%
TOTALS	299	100.00%

Q-54. During your life, how many times have you used marijuana?

A. 0 times	168	56.00%
B. 1 or 2 times	35	11.67%
C. 3 to 9 times	22	7.33%
D. 10 to 19 times	11	3.67%
E. 20 to 39 times	12	4.00%
F. 40 to 99 times	7	2.33%
G. 100 or more times	45	15.00%
TOTALS	300	100.00%

Q-55. How old were you when you tried marijuana for the first time?

A. I have never tried marijuana	167	56.04%
B. 8 years old or younger	6	2.01%
C. 9 or 10 years old	2	0.67%
D. 11 or 12 years old	12	4.03%
E. 13 or 14 years old	49	16.44%
F. 15 or 16 years old	51	17.11%
G. 17 years old or older	11	3.69%
TOTALS	298	100.00%

Q-56. During the past 30 days, how many times did you use marijuana?

A. 0 times	231	76.74%
B. 1 or 2 times	20	6.64%
C. 3 to 9 times	13	4.32%
D. 10 to 19 times	9	2.99%
E. 20 to 39 times	6	1.99%
F. 40 or more times	22	7.31%
TOTALS	301	100.00%

Q-57. During the past 30 days, how many times did you use marijuana on school property?

A. 0 times	276	91.69%
B. 1 or 2 times	5	1.66%
C. 3 to 9 times	5	1.66%
D. 10 to 19 times	6	1.99%
E. 20 to 39 times	0	0.00%
F. 40 or more times	9	2.99%
TOTALS	301	100.00%

Q-58. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A. 0 times	264	90.41%
B. 1 or 2 times	12	4.11%
C. 3 to 9 times	6	2.05%
D. 10 to 19 times	0	0.00%
E. 20 to 39 times	2	0.68%
F. 40 or more times	8	2.74%
TOTALS	292	100.00%

Q-59. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A. 0 times	275	91.36%
B. 1 or 2 times	10	3.32%
C. 3 to 9 times	5	1.66%
D. 10 to 19 times	2	0.66%
E. 20 to 39 times	0	0.00%
F. 40 or more times	9	2.99%
TOTALS	301	100.00%

Q-60. During the past 30 days, how many times did you sniff glue, breathe the contents of aerosol spray cans, or inhale any paints or sprays to get high?

A. 0 times	290	96.03%
B. 1 or 2 times	3	0.99%
C. 3 to 9 times	2	0.66%
D. 10 to 19 times	1	0.33%
E. 20 to 39 times	1	0.33%
F. 40 or more times	5	1.66%
TOTALS	302	100.00%

Q-61. During your life, how many times have you used heroin (also called smack, junk, or China White)?

A. 0 times	289	96.33%
B. 1 or 2 times	5	1.67%
C. 3 to 9 times	1	0.33%
D. 10 to 19 times	0	0.00%
E. 20 to 39 times	0	0.00%
F. 40 or more times	5	1.67%
TOTALS	300	100.00%

Q-62. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

A. 0 times	285	94.37%
B. 1 or 2 times	7	2.32%
C. 3 to 9 times	1	0.33%
D. 10 to 19 times	0	0.00%
E. 20 to 39 times	2	0.66%
F. 40 or more times	7	2.32%
TOTALS	302	100.00%

Q-63. During your life, how many times have you used ecstasy (also called MDMA)?

A. 0 times	268	88.74%
B. 1 or 2 times	15	4.97%
C. 3 to 9 times	5	1.66%
D. 10 to 19 times	5	1.66%
E. 20 to 39 times	1	0.33%
F. 40 or more times	8	2.65%
TOTALS	302	100.00%

Q-64. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

A. 0 times	290	96.03%
B. 1 or 2 times	3	0.99%
C. 3 to 9 times	3	0.99%
D. 10 to 19 times	0	0.00%
E. 20 to 39 times	1	0.33%
F. 40 or more times	5	1.66%
TOTALS	302	100.00%

Q-65. During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

A. 0 times	260	86.09%
B. 1 or 2 times	14	4.64%
C. 3 to 9 times	11	3.64%
D. 10 to 19 times	5	1.66%
E. 20 to 39 times	3	0.99%
F. 40 or more times	9	2.98%
TOTALS	302	100.00%

Q-66. During your life, how many times have you used a needle to inject any illegal drug into your body?

A. 0 times	293	97.02%
B. 1 time	3	0.99%
C. 2 or more times	6	1.99%
TOTALS	302	100.00%

Q-67. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

A. Yes	60	19.87%
B. No	242	80.13%
TOTALS	302	100.00%

Q-68. Have you ever had sexual intercourse?

A. Yes	177	59.00%
B. No	123	41.00%
TOTALS	300	100.00%

Q-69. How old were you when you had sexual intercourse for the first time?

A. I have never had sexual intercourse	130	43.33%
B. 11 years old or younger	8	2.67%
C. 12 years old	6	2.00%
D. 13 years old	12	4.00%
E. 14 years old	40	13.33%
F. 15 years old	55	18.33%
G. 16 years old	25	8.33%
H. 17 years old or older	24	8.00%
TOTALS	300	100.00%

Q-70. During your life, with how many people have you had sexual intercourse?

A. I have never had sexual intercourse	132	43.85%
B. 1 person	63	20.93%
C. 2 people	33	10.96%
D. 3 people	20	6.64%
E. 4 people	17	5.65%
F. 5 people	11	3.65%
G. 6 or more people	25	8.31%
TOTALS	301	100.00%

Q-71. During the past 3 months, with how many people did you have sexual intercourse?

A. I have never had sexual intercourse	132	44.15%
B. I have had sexual intercourse, but not during the past 3 months	45	15.05%
C. 1 person	91	30.43%
D. 2 people	14	4.68%
E. 3 people	7	2.34%
F. 4 people	2	0.67%
G. 5 people	2	0.67%
H. 6 or more people	6	2.01%
TOTALS	299	100.00%

Q-72. Did you drink alcohol or use drugs before you had sexual intercourse the last time?

A. I have never had sexual intercourse	128	43.10%
B. Yes	42	14.14%
C. No	127	42.76%
TOTALS	297	100.00%

Q-73. The last time you had sexual intercourse, did you or your partner use a condom?

A. I have never had sexual intercourse	127	43.20%
B. Yes	109	37.07%
C. No	58	19.73%
TOTALS	294	100.00%

Q-74. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)

A. I have never had sexual intercourse	130	43.92%
B. No method was used to prevent pregnancy	17	5.74%
C. Birth control pills	35	11.82%
D. Condoms	87	29.39%
E. An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	4	1.35%
F. A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	10	3.38%
G. Withdrawal or some other method	8	2.70%
H. Not sure	5	1.69%
TOTALS	296	100.00%

Q-75. How do you describe your weight?

A. Very underweight	8	2.67%
B. Slightly underweight	39	13.00%
C. About the right weight	168	56.00%
D. Slightly overweight	72	24.00%
E. Very overweight	13	4.33%
TOTALS	300	100.00%

Q-76. Which of the following are you trying to do about your weight?

A. Lose weight	119	39.53%
B. Gain weight	42	13.95%
C. Stay the same weight	71	23.59%
D. I am not trying to do anything about my weight	69	22.92%
TOTALS	301	100.00%

Q-77. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?

A. Yes	35	11.71%
B. No	264	88.29%
TOTALS	299	100.00%

Q-78. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not count meal replacement products such as Slim Fast.)

A. Yes	16	5.33%
B. No	284	94.67%
TOTALS	300	100.00%

Q-79. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?

A. Yes	17	5.69%
B. No	282	94.31%
TOTALS	299	100.00%

Q-80. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

A. I did not drink 100% fruit juice during the past 7 days	70	23.18%
B. 1 to 3 times during the past 7 days	122	40.40%
C. 4 to 6 times during the past 7 days	56	18.54%
D. 1 time per day	18	5.96%
E. 2 times per day	16	5.30%
F. 3 times per day	3	0.99%
G. 4 or more times per day	17	5.63%
TOTALS	302	100.00%

Q-81. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)

A. I did not eat fruit during the past 7 days	33	10.96%
B. 1 to 3 times during the past 7 days	102	33.89%
C. 4 to 6 times during the past 7 days	60	19.93%
D. 1 time per day	38	12.62%
E. 2 times per day	38	12.62%
F. 3 times per day	13	4.32%
G. 4 or more times per day	17	5.65%
TOTALS	301	100.00%

Q-82. During the past 7 days, how many times did you eat green salad?

A. I did not eat green salad during the past 7 days	79	26.33%
B. 1 to 3 times during the past 7 days	138	46.00%
C. 4 to 6 times during the past 7 days	45	15.00%
D. 1 time per day	21	7.00%
E. 2 times per day	5	1.67%
F. 3 times per day	6	2.00%
G. 4 or more times per day	6	2.00%
TOTALS	300	100.00%

Q-83. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)

A. I did not eat potatoes during the past 7 days	88	29.14%
B. 1 to 3 times during the past 7 days	148	49.01%
C. to 6 times during the past 7 days	43	14.24%
D. 1 time per day	11	3.64%
E. 2 times per day	2	0.66%
F. 3 times per day	1	0.33%
G. 4 or more times per day	9	2.98%
TOTALS	302	100.00%

Q-84. During the past 7 days, how many times did you eat carrots?

A. I did not eat carrots during the past 7 days	126	41.86%
B. 1 to 3 times during the past 7 days	126	41.86%
C. 4 to 6 times during the past 7 days	23	7.64%
D. 1 time per day	14	4.65%
E. 2 times per day	5	1.66%
F. 3 times per day	2	0.66%
G. 4 or more times per day	5	1.66%
TOTALS	301	100.00%

Q-85. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)

A. I did not eat other vegetables during the past 7 days	51	17.23%
B. 1 to 3 times during the past 7 days	120	40.54%
C. 4 to 6 times during the past 7 days	73	24.66%
D. 1 time per day	29	9.80%
E. 2 times per day	15	5.07%
F. 3 times per day	2	0.68%
G. 4 or more times per day	6	2.03%

TOTALS

296 100.00%

Q-86. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A. I did not drink soda or pop during the past 7 days	68	22.67%
B. 1 to 3 times during the past 7 days	114	38.00%
C. 4 to 6 times during the past 7 days	52	17.33%
D. 1 time per day	27	9.00%
E. 2 times per day	15	5.00%
F. 3 times per day	13	4.33%
G. 4 or more times per day	11	3.67%

TOTALS

300 100.00%

Q-87. During the past 7 days, how many times did you drink a can, bottle, or glass of diet soda or pop, such as Diet Coke, Diet Pepsi, or Sprite Zero?

A. I did not drink diet soda or pop during the past 7 days	215	71.67%
B. 1 to 3 times during the past 7 days	47	15.67%
C. 4 to 6 times during the past 7 days	16	5.33%
D. 1 time per day	12	4.00%
E. 2 times per day	2	0.67%
F. 3 times per day	5	1.67%
G. 4 or more times per day	3	1.00%

TOTALS

300 100.00%

Q-88. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk serve at school as equal to one glass.)

A. I did not drink milk during the past 7 days	52	17.75%
B. 1 to 3 glasses during the past 7 days	67	22.87%
C. 4 to 6 glasses during the past 7 days	61	20.82%
D. 1 glass per day	31	10.58%
E. 2 glasses per day	43	14.68%
F. 3 glasses per day	25	8.53%
G. 4 or more glasses per day	14	4.78%

TOTALS

293 100.00%

Q-89. During the past 7 days, on how many days did you eat breakfast?

A. 0 days	40	13.38%
B. 1 day	26	8.70%
C. 2 days	31	10.37%
D. 3 days	30	10.03%
E. 4 days	22	7.36%
F. 5 days	26	8.70%
G. 6 days	18	6.02%
H. 7 days	106	35.45%
TOTALS	299	100.00%

Q-90. During the past 30 days, how often did you go hungry because there was not enough food in your home?

A. Never	235	78.86%
B. Rarely	32	10.74%
C. Sometimes	19	6.38%
D. Most of the time	7	2.35%
E. Always	5	1.68%
TOTALS	298	100.00%

Q-91. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A. 0 days	31	10.51%
B. 1 day	6	2.03%
C. 2 days	31	10.51%
D. 3 days	32	10.85%
E. 4 days	33	11.19%
F. 5 days	33	11.19%
G. 6 days	30	10.17%
H. 7 days	99	33.56%
TOTALS	295	100.00%

Q-92. On an average school day, how many hours do you watch TV?

A. I do not watch TV on an average school day	51	17.23%
B. Less than 1 hour per day	71	23.99%
C. 1 hour per day	53	17.91%
D. 2 hours per day	68	22.97%
E. 3 hours per day	29	9.80%
F. 4 hours per day	11	3.72%
G. 5 or more hours per day	13	4.39%
TOTALS	296	100.00%

Q-93. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other special networking tools, and the Internet.)

A. I do not play video or computer games or use a computer for something that is not school work	44	14.72%
B. Less than 1 hour per day	57	19.06%
C. 1 hour per day	51	17.06%
D. 2 hours per day	55	18.39%
E. 3 hours per day	34	11.37%
F. 4 hours per day	27	9.03%
G. 5 or more hours per day	31	10.37%
TOTALS	299	100.00%

Q-94. In an average week when you are in school, on how many days do you go to physical education (PE) classes?

A. 0 days	132	44.44%
B. 1 day	8	2.69%
C. 2 days	16	5.39%
D. 3 days	93	31.31%
E. 4 days	10	3.37%
F. 5 days	38	12.79%
TOTALS	297	100.00%

Q-95. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

A. 0 teams	106	35.57%
B. 1 team	74	24.83%
C. 2 teams	53	17.79%
D. 3 or more teams	65	21.81%
TOTALS	298	100.00%

Q-96. Have you ever been taught about AIDS or HIV infection in school?

A. Yes	239	79.67%
B. No	40	13.33%
C. Not sure	21	7.00%
TOTALS	300	100.00%

Q-97. Has a doctor or nurse ever told you that you have asthma?

A. Yes	82	27.42%
B. No	207	69.23%
C. Not sure	10	3.34%
TOTALS	299	100.00%

Q-98. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)

A. 0 times	230	76.92%
B. 1 or 2 times	25	8.36%
C. 3 to 9 times	25	8.36%
D. 10 to 19 times	8	2.68%
E. 20 to 39 times	6	2.01%
F. 40 or more times	5	1.67%
TOTALS	299	100.00%

Q-99. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?

A. Yes	21	7.12%
B. No	274	92.88%
TOTALS	295	100.00%